

This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

|      |   |
|------|---|
| 地址   | <b>Hongxing Glass Congo SARL</b><br>West International Holding<br>PK4 ,RN 2,Lifoula Kintele Pool<br>Brazzaville |
| 国家   | 刚果  |
| 电话号码 | 00242 06949 9865  |
| 职员   | 250   |
| 年营业额 | 1 million   |
| 证书   | ISO 9001 and CE certification   |
| 创建年份 | 2019  |
| 出口价格 | everyday  |
| 协会   | Chinese Building Materials Glass Association  |

## 联系人

|            |  |
|------------|--|
| Contact 1. | 先生 Chao Luoyan<br>Phone: 00242 06949 9865                  |
| Contact 2. | 女士 Dana Wang<br>Sales Manager<br>Phone: 0086 1819 1410 508 |

## 产品/机械

### Transparent Flat Glass

#### Product Features:

Smooth surface without ripples, good transparency; the products size can be customized flexibly to reduce slice loss.

#### Application Areas:

It can be widely used in building glass window and door, and suit for various processing such as tempering, hot bending, laminated, hollow, furniture, coating, mirror making, vehicles, optical instrument, etc.

#### Specification Range:

Min: 914mm×1220mm

Max: 2440mm×3660mm

Various non-standard sizes are available according to customers' needs.

**Thickness Range:** 1.8mm-8mm

**Product Standard:** According to GB11641-2009 quality standard

#### Ultra Thin & Fragile Glass Plate

**Product Features:**

Smooth surface without ripples, good transparency; the products size can be customized flexibly to reduce slice loss.

**Application Areas:**

Used to make fire hydrant doors, taking advantage of its thinness and fragility. ( Thick glass or PVC cannot be used because they are not fragile and the fire hydrants door require a single blow to break and unbreakable materials are against safety regulations.) vehicles, optical instrument, etc.

**Specification Range:**

Min:914mm×1220mm

Max: 2440mm×3660mm

Various non-standard sizes are available according to customers' needs.

**Thickness Range:** 1.8mm-3mm

**Product Standard:** According to GB11641-2009 quality standard

#### Ultra Thin Medical Glass Plate

**Product Features:**

Smooth surface without ripples, good transparency; the products size can be customized flexibly to reduce slice loss.

**Application Areas:**

this ultra thin glass is to process Microscope Slides / Glass Slides (e.g.: 76\*26 mm) and Cover Glass (e.g.: 10\*10 mm or 20\*20mm) for laboratory sampling and observation.

**Specification Range:**

Min:914mm×1220mm

Max: 2440mm×3660mm

Various non-standard sizes are available according to customers' needs.

**Thickness Range:** 0.13mm-2mm

**Product Standard:** Medical Grade

#### Tinted Flat Glass

**Product Features:**

Effective in absorbing solar radiation heat, creating a "cool room effect" and achieving thermal insulation and energy saving. Selective absorption of visible light, softening the sunlight, reducing glare (reflected light) and improving the colour of the room.

Strong absorption of the sun's ultraviolet rays, effectively preventing fading and deterioration of indoor objects caused by ultraviolet rays.

Having a certain degree of transparency, allowing a clear view of outdoor scenes.

The glass colour is bright and long-lasting, increase the aesthetic appearance of the building.

**Application Areas:**

Architectural doors and windows, external wall decoration coated glass, art processing and other fields.

**Specification Range:**

Min: 914mm×1220mm

Max: 2440mm x 3660mm

Various non-standard sizes are available according to customers' needs.

**Thickness Range:** 3mm-8mm, thickness can be customized.

**Product Standard:** According to GB11614-2009 standard

#### Heat Reflective Coated Glass

**Product Description:**

Reflective coated glass, also known as sunlight control film glass, is made by coating the surface of high quality flat glass with one or more layers of metal or compound films by vacuum magnetron sputtering.

The main function of the film is to control the amount of solar radiation, reflection, transmission and absorption in the required proportions and to produce the desired reflective colours.

**Product Features:**

Effective shading by limiting the amount of direct solar radiation incident. Colourful reflective hue and excellent decorative effects.

Good visual shading of interior objects and building structures.

Ideal transmission and reflection ratios for visible light.

Reduced transmission of UV light.

**Application Areas:** Indoor ecological environment in summer. Size Range:

Min: 300mm x 800mm

Max: 2440mm x 3660mm

Various non-standard sizes are available upon request.

**Thickness Range:** 3mm-8mm, thickness can be customized. Product Standard: According to GB4871-1995 quality standard

## 产品和背景

**Hongxing Glass Congo Sarl** is a subsidiary of West International Holdings Limited, an innovative high-tech factory on glass research and development, production and sales, located in the district of Lifoula of Kintélé City, Pool Province, Republic of Congo, and is the largest glass producer in the Republic of Congo.

West International Holdings Limited, the wholly-owned parent company of Hongxing Glass, is a subsidiary of China West Cement Limited (stock code 2233.HK), a Hong Kong-listed company whose main business involves cement production and sales, corporate management and industrial investment, etc.

The Group's management headquarters is located in Addis Ababa, the capital of Ethiopia. Relying on the listed company's advantages in capital, technology and talents, the company is currently laying out a number of industries in Ethiopia, Mozambique, Congo (Brazzaville), Congo (Kinshasa) and other African regions, such as cement, glass, gypsum board, assembled buildings and logistics, and has a high reputation and recognition in the industry.

Hongxing Glass has the international first-class advanced equipment and continuously optimises the process, develops and innovates glass technology and provide quality glass products to the global market. Upon completion of the project, the total number of employees will be over 250, including more than 20 professional staffs in the R&D technical team. Equipped with several laboratories for raw material testing, glass performance testing, fuel diversification testing, and glass formulation testing, to ensure our glass products meet the requirements of various types of glass, Hongxing Glass strongly promote the development of new products and technologies. We strive to drive Hongxing Glass into a leading enterprise with global recognition in Africa within three to five years, and provide high quality glass products to our customers. while developing the enterprise, we will also addressing employment issues for local and undertake the social responsibility of the enterprise.

### Company Profile of Hongxing Glass Congo SARL

A service of glasssglobal.com, an affiliate of glasssglobal group.

您出版的地址材料版权属于属于公司或对它的第三者销售代理，保留所有权。任何用户访问这样的资料的只限于个人使用，并且用户对材料的用途和使用，风险自担。禁止对其它的贸易广告及地址资料重新发布。这样的地址材料如果是由第三方提供，使用这样的新闻材料必须由各用户同意和遵守具体使用条款。Glass Global不保证从任何链接或其它网址打印输出的信息的准确性和可靠性。www.glasssglobal.com - 国际性的玻璃工业门户 - OGIS GmbH