



This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

地址	SGL CARBON GmbH	
	Drachenburgstrasse 1	
	53170 Bonn	
国家	德国	

产品/机械

Graphite Profiles and Barriers for the Manufacture of Float Glass

Float glass requires consistent high quality, absolute precision, flawless appearance, and the highest purity possible. Our materials and components for the continuous manufacture of large-format float glass are impressive in every respect.

SGL Carbon's portfolio is tailored to meet the demanding requirements and highly specific machinery used by float glass. In view of the high temperature of the tin bath of 1100°C (2000°F), a graphite edge insert is essential. The main reasons for using extruded graphite here are its high corrosion and abrasion resistance.

Our ash-reduced grades such as SIGRAFINE® R7550 have a particularly long service life, which helps keep plant maintenance costs to a minimum.

For more demanding requirements, we supply special impregnations (NOX treatment) that further increase oxidation resistance and consequently the service life of the materials and components.

Our precision components and systems produced from SIGRAFINE fine-grain graphites offer maximum process reliability. Typical examples include ready-to-use profiles and barriers, sometimes in extreme lengths, for tin bath walls. SIGRATHERM® soft felts hereby ensure the thermal insulation. This also makes the most of the advantages of extruded graphite in conveying systems, rollers, and scrapers. In the refining section, it is combined with isostatically pressed graphite.

Company Profile of SGL CARBON GmbH

A service of glassglobal.com, an affiliate of glassglobal group.

您出版的地址材料版权是属于公司或对它的第三者销售代理,保留所有权。任何用户访问这样的资料的只限于个人使用,并且用户对材料的用途和使用,风险自担。禁止对其它的贸易广告及地址资料重新发布。这样的地址材料如果是由第三方提供,使用这样的新闻材料必须由各用户同意和遵守具体使用条款。Glass Global不保证从任何链接或其它网址打印输出的信息的准确性和可靠性。www.glassglobal.com - 国际性的玻璃工业门户 - OGIS GmbH