



This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

地址	Sommer Informatik GmbH Sepp-Heindl-Str. 5 83026 Rosenheim	
国家		

产品/机械 winiso®

Calculation of heat flows, thermal bridges, isotherms and Uf values according to EN ISO 10077-2:2018 as well as Ufr, Ueg and Ucg values according to ISO 15099 and NFRC

The easy-to-use FEM software "WINISO®" imports .dwg or .dxf files and combines the geometric information with the physical properties of the materials used. The materials are stored in the software and come from the relevant standards such as DIN 4108. The easy-to-learn and easy-to-use software provides evaluations for any components such as window frames, post transoms, construction timber columns or solid structures. The evaluations are temperature curves, isotherms, heat flows, U-values, Uf-values or Psi-values. Even current standards such as EN ISO 10077-2:2018 or ISO 15099 are implemented in the software.

Features:

Highly automated geometry preparation of CAD data (.dxf and .dwg) Detailed transfer of CAD data incl. radii and bevels Automated material assignment based on CAD layers New solver and new calculation core with automatic FEM networking Calculation according to the "radiosity model" (new cavity model according to EN ISO 10077-2:2018) and with equivalent conductivity (EN ISO 10077-2:2012/2018) Simple definition of foils, coatings and surface properties using polylines Gas filling for inter-pane spaces according to EN 673 freely miscible Automated Uf calculation of window and facade profiles Psi values of thermal bridges and insulating glass spacers according to EN ISO 10211 and EN ISO 10077-2 Certified by IFT Rosenheim as fully compliant for calculation according to ISO 10077-2:2018 Ug-values of multi-pane insulating glass according to DIN EN 673 U-values of any construction according to EN ISO 6946 Calculation of isotherms, surface temperatures and temperature factor vapour diffusion calculation Ufr, Ueg and Ucg calculation according to ISO 15099 and NFRC

GLASGLOBAL®

GlasGlobal is the expert software for the calculation of the static proof of glazing according to DIN 18008 part 1 - 6. The fast FEM calculator core enables an exact calculation of the most different glazings. The load assumptions according to DIN EN 1991 - 1 are stored in the program, which enables intuitive and simple operation of the software.

The professional statics software GLASGLOBAL® according to DIN 18008 contains all necessary calculations and load assumptions. With GLASGLOBAL® glasses can be statically dimensioned according to DIN 18008, all loads to be considered such as snow, wind, dead weight, traffic loads or climate-related fluctuations in air pressure and temperature are checked during the calculation. Stress and deflection are compared with the permissible values and displayed on a clearly arranged printout.

Features:

- Overhead and vertical glazing, fall-arresting, point-shaped glazing, accessible glazing and glazing accessible for maintenance measures Wind and snow loads and town heights by postcode or town name Automatic glass thickness optimization
- Determination of tendon shortening
- Symmetrical and asymmetrical laminated safety glass





Verification of the load on the edge seal Calculation of the shear bond, e.g. Trosifol® SentryGlas® Compatible with WINSLT® to calculate solar irradiance, g and U values Integrated FEM calculator core

WINSLT®

Radiation parameters according to EN 410, EN 673 and EN ISO 52022-3

WinSLT is the software solution for calculating light, solar and thermal characteristics of glazing in combination with sun protection.

It can create any structure in a short time and according to the standards:

EN ISO 673 (Ug value),

EN 410 (g value, reflection, absorption, transmission) and

EN ISO 52022-3 (gtotal value)

can be calculated.

The software certified by ift-Rosenheim also creates a declaration of performance and a CE marking for the glazing.

Features:

Calculation of reflection, transmission and absorption Calculation of arbitrary disc structures Representation of the temperature curve across the cross-section Import of own spectral data Extensive database with various products from international glass and sun protection manufacturers Preparation of a declaration of performance and CE marking in many language versions Determination of the sound absorption coefficient Rw from databases with tested superstructures

WINTHS

Calculation of thermal stresses according to NF DTU 39 P3

WINTHS is the software solution for the simple calculation of the climate conditions acting on glass panes, taking into account the geographical location and historical weather data.

WINTHS makes it possible to determine thermal stresses in glass surfaces in advance with regard to extreme weather data, thus drastically minimizing the risk of glass breakage.

WINTHS takes into account various factors that influence the thermal stress of glass surfaces. Of course, the glass structure is fundamental: glass quality, edge quality, gaps, gas fillings, type and thickness of the frame or the thermal inertia of the respective construction.

Features:

Calculation according to French standard NF DTU 39 P3 Determination of low, medium or high thermal inertia of the frame Graphical evaluation with false colors Consideration of any climate data and orientations Calculation of arbitrary disc structures Consideration of printed glasses Different storage Processing the glass edge partial shadowing and much more

Company Profile of Sommer Informatik GmbH

A service of glassglobal.com, an affiliate of glassglobal group.





您出版的地址材料版权是属于公司或对它的第三者销售代理,保留所有权。任何用户访问这样的资料的只限于个人使用,并且用户对材料的用途和使用,风险自担。禁止对其它的贸易广告及地址资料重新发布。这样的地址材料如果是由第三方提供,使用这样的新闻材料必须由各用户同意和遵守具体使用条款。Glass Global不保证从任何链接或其它网址打印输出的信息的准确性和可靠性。www.glassglobal.com - 国际性的玻璃工业门户 - OGIS GmbH