

This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

| | |
|----|---|
| 地址 | Cam Elyaf Tekstil San.ve Tic. Ltd. Sti. Ihsaniye mah. 113. cad. No 66 / B Mersin |
| 国家 | 土耳其 |

产品/机械

Alkaline-resistant fiberglass mesh, fiberglass mesh is woven by fiberglass yarn, and then coated by alkaline resistant glue. It has fine alkaline-resistant, high strength, etc. As an ideal engineering material in construction, it is mainly used to reinforce cement, stone, wall materials, roofing, bitumen, gypsum, waterproof and so on.

Our best quality ability :

Mesh of warp and weft mesh is very straight;
Coating enough alkaline resistant glue and keep 60% - 80% strength after testing in Naoh 28 days later
Made by C-glass or E-glass fibers woven roving as basis material, and then treated with acrylic acid copolymer liquid
Mesh size from 2mm x 2mm to 15mm x 15mm, weight : 50 g/m2 to 300 g/m2
Packing Inner packing: shrinkage packing one roll, then 30 to 52 rolls/pallet or 4 rolls/carton

Company Profile of **Cam Elyaf Tekstil San.ve Tic. Ltd. Sti.**

A service of glasssglobal.com, an affiliate of glasssglobal group.

您出版的地址材料版权是属于公司或对它的第三者销售代理，保留所有权。任何用户访问这样的资料的只限于个人使用，并且用户对材料的用途和使用，风险自担。禁止对其它的贸易广告及地址资料重新发布。这样的地址材料如果是由第三方提供，使用这样的新闻材料必须由各用户同意和遵守具体使用条款。Glass Global不保证从任何链接或其它网址打印输出的信息的准确性和可靠性。www.glasssglobal.com - 国际性的玻璃工业门户 - OGIS GmbH