



This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

地址	ROCKWOOL Værlegata 56 1531 Moss	
国家	挪威	

产品/机械

The ROCKWOOL Technical Insulation products are based on stone wool, which cannot burn and which can stand temperatures up to 1000 degrees C without melting. Thus ROCKWOOL stone wool provides the best guarantee for an effective fire protection on board ships and offshore platforms.

ROCKWOOL stone wool fibres can withstand more than 1000°C without melting, whereas the binding agent is lost at temperatures in excess of 250°C. When the temperature rises above 250°C, the binder will evaporate in the zone which is exposed to 250°C or more. But the fibres will remain intact as their inbuilt cohesiveness and layering will keep the fibres together, ensuring that the material will retain its rigidity and protect the material beneath it from being affected by the fire.

Since mineral fibres are highly resistant to temperature variations, ROCKWOOL mineral wool can be used under conditions of very high temperature, provided that it is installed in such a way that mechanical stress will not alter its shape when the binder evaporates

Company Profile of ROCKWOOL

A service of glassglobal.com, an affiliate of glassglobal group.

您出版的地址材料版权是属于公司或对它的第三者销售代理,保留所有权。任何用户访问这样的资料的只限于个人使用,并且用户对材料的 用途和使用,风险自担。禁止对其它的贸易广告及地址资料重新发布。这样的地址材料如果是由第三方提供,使用这样的新闻材料必须由各 用户同意和遵守具体使用条款。Glass Global不保证从任何链接或其它网址打印输出的信息的准确性和可靠性。www.glassglobal.com -国 际性的玻璃工业门户 - OGIS GmbH